

# KEY TO ARTICLES IN VOLUME 94 FOR 1993

## AUTHORS

### A

AITCIN, P.C. See PIKULIK, L.I.  
 ALI, S.F. See HEITNER, C.  
 ALLISON, B.J. See TURNER, B.J.  
 ANDERSON, M.J. See JONES, A.K.  
 AU, C.O. & JOHANSSON, K.A. The use of cationic starch and anionic colloidal silica in waste. (T173) 6:55.  
 BACKMAN, R., HUPA, M. & TRAN, H. Modelling the sodium enrichment in lime kilns. (T387) 11:78.

### B

BAILEY, J. Planning ahead: The extended calendar puts you ahead of the game. 1:49.  
 BAILEY, J. Technical training: A guide to who's doing what and where. 6:12.  
 BAILEY, J. Top Picks. 7:14.  
 BAILEY, J. Preparation is key when mothballing machines. 8:9.  
 BAILEY, J. Recreating granite's release properties is a challenge. 10:10.  
 BAILEY, J. De-inking was the hot topic at the second Recycling Research Forum. 11:8.  
 BANFILL, H.M. & BENTLEY, S. Reduced emissions change chemical balances in bleached kraft pulp mills. (T21) 1:41.  
 BARYNIN, J.A., BERG, L., & LEE, B. Recent trends in NCG disposal system design. (T409) 12:74.  
 BENTLEY, S. See BANFILL, H.M.  
 BERG, L. See BARYNIN, J.A.  
 BIALKOWSKI, W.L. Dreams versus reality: A view from both sides of the gap. (T330) 11:19.  
 BLACK, S. See CRAWFORD, G.V.  
 BOISVERT, J.M.F. & CONNAGHAN, C.L. Steam and power balance improves energy efficiency at Elk Falls. (T124) 5:28.  
 BOISVERT, A. See MAHESAN M.  
 BOLKER, H.I. Focussing scientific excellence on mechanical pulping: The mechanical and chemimechanical pulps network. (T133) 5:38.  
 BRAHAN, J.W. Industrial applications of artificial intelligence: A National Research Council laboratory program. (T54) 2:42.  
 BRODERICK, G., VALADE, J.L. & PARIS, J. High-yield sulphite pulping based on a Plackett-Burman design. (T248) 9:22.  
 BROWN, G.J. See COCCI, A.  
 BROWN, R.W. See KHAN, S.  
 BRUNER, D.A. Purchasing/warehousing and accounts payable interface with the work order system. (T46) 2:32.  
 BUSSMAN, K. & KAPPEL, J. Peroxide bleaching of SGW for the production of coated printing paper for offset and rotogravure. (T1) 1:19.

### C

CANTRELL, J. See CHUNG, D.K.  
 CARRASCO, F. Ultra-high-yield pulping of aspen: Method for evaluating paper properties. (T63) 3:44.  
 CHANG, H.P. Development of ISO 9003 at Mackenzie Pulp. (T288) 10:33.  
 CHAPMAN, P.J. See JONES, A.K.  
 CHARBONNEAU, L. Sensodoc-10 condition monitoring system. (T491) 12:161.  
 CHUNG, D.K., CANTRELL, J. & LEFEVRE, G. Control of detrimental substances. (T403) 12:68.  
 COCCI, A., LANDINE, R., BROWN, G.J., MCCARTHY, P.J. & McMULLIN, M.J. Treatment of pulp and paper wastewater in a modified aerated lagoon system. (T49) 2:35.  
 COLE, T. See TRAN, H.  
 CONNAGHAN, C.L. See BOISVERT, J.M.F.  
 COOPER, D. See McQUAID, J.  
 CORBIN, J. See RAO, M.  
 CORNELIUS, R., RIIONHEIMO, M. & MARDON, A. The paper machine dryer section survey: Methodology and benefits. 8:10.  
 CORT, J.B., KELLER, W.F., LAROSE, J.P. & GOULET, M. AutomasTM control results in more uniform pulp quality at Daishowa Inc., Quebec City. (T450) 12:118.  
 CORTEZ, L. See JUTRAS, D.  
 CRAWFORD, G.V., BLACK, S., MIYAMOTO, H. & LIVER, S. Equipment selection and disposal of biological sludges from pulp and paper operations. (T100) 4:37.  
 CROTEAU, A.P., NOBLEZA, G.C. & ROCHE, A.A. Elucidating quality variations through time series analysis of mill data. (T25) 1:45.

### D

DALPHOND, J.E. See MANGIN, P.J.  
 de SOUZA, T.L.C. GC analysis of 1-20 PPB sulphur gases without preconcentration. (T114) 4:55.

DAMON, R.A. See TRAN, H.  
 DANEALUT, C. See MARCHILDON, L.  
 DICK, D. See McNEELY, R.  
 DODGE, H. & VLAAD, B. The E.B. Eddy emergency response unit. (T119) 5:19.  
 DOUEK, M. See SULLIVAN, J.

### E

EKBLAD, H. Automatic measurement of sheet directionality and elastic properties by ultrasound. (T269) 9:43.  
 ELLIOTT, J.S. See WALSH, A.R.

### F

FARKAS, M.O. See MEGRAW, S.R.  
 FAUCONNIER, W.R. Peak load control for a pulp and paper mill. (T365) 11:56.  
 FERGUSON, L.D. Laboratory de-inking practices. (T86) 4:23.  
 FLEMING, B.J. See LIEBERGOTT, N.  
 FOLKE, J. Macintosh computers. 8:53.  
 FOLKE, J. See McCUBBIN.  
 FOULGER, M. & HUDSPETH, D. Pre-calendering of newsprint. (T292) 10:37.  
 FRIEND, W.H. See WHITE, D.E.

### G

GALLAND, G. & VERNAC, Y. De-inking of wastepaper containing water-based flexo-printed newsprint. (T181) 6:71.  
 GAMMON, J.M. & PERRON, D.C. Improving press fabrics for optimal alkaline paper-making performance. (T339) 11:30.  
 GANDEK, T.P. See WHITE, D.E.  
 GAY, J.P., RANTANEN, R. & NYKANEN, I. A solution to calender sheet bubbling problems. (T32) 2:17.  
 GERBASI, B., STUART, P.R., ARSENAULT, F., ZALOUM, R. Techno-economic assessment of several closed cycle technology alternatives for an existing TMP-newsprint mill. (T455) 12:123.  
 GOULET, M. See CORT, J.B.  
 GOULET, Y. See WASON, S.K.  
 GOTTSCHING, L. See PUTZ, H.J.  
 GUSS, D.B. See KROFTA, M.

### H

HALL, J.D. See LING, T.F.  
 HATTON, J.V. & HUNT, K. Wood density and chemical properties of second-growth lodgepole pine. (T470) 12:140.  
 HAY, M.D. High performance work systems: An example. (11) 1:30.  
 HEITNER, C., ALI, S.F. & KERR, W.D. Printing grade ultra-high-yield pulps from sawmill waste and mixed hardwood. (T461) 11:130.  
 HESS, H. Paper and print characteristics of high quality grades: How to achieve calendering techniques. (T369) 11:60.  
 HILL, J., SAARINEN, K. & STENOS, R. On the control of chip refining systems. (T161) 6:43.  
 HIRZEL, J. High-efficiency motors give Abitibi-Price reliability. 6:9.  
 HORNER, R.J. & PATERSON, D.H. The Technical Section's 78th year in review. 3:20.  
 HORNER, R.J. Educational experiences. 3:32.  
 HORNFECK, K. See LIPPHARD, M.  
 HUDSPETH, D. See FOULGER, M.  
 HUNT, K. See HATTON, J.V.  
 HUPA, M. See BACKMAN, R.  
 HUSAIN, H. See KURIYCHUK, M.  
 HYNINEN, P. & PRYKE, D.C. Finnish pulp and paper mill activated sludge plants: Operating experience and designing for the future. (T325) 10:72.

### I

IJAS, L. Application of ISO 9001 quality system for recovery boiler supply. (T323) 10:70.

### J

JACKSON, M. See NORDIN, J.  
 JOHANSSON, K.A. See AU, C.O.  
 JONES, A.K. & ANDERSON, M.J. High solids firing at Arkansas Kraft. (T177) 6:65.  
 JONES, A.K., CHAPMAN, P.J. & MAHANEY, J. Improved air port arrangements for the secondary air level. (T252) 9:26.  
 JONES, A.K. & STEWART, R.I. The high solids breakpoint: A trade-off between SO<sub>2</sub> and NO<sub>x</sub>. (T479) 12:149.  
 JOSSINET, J. Custom de-inking of newsprint. (T60) 3:50.  
 JULIEN SAINT AMAND, F. & PERRIN, B. The effect of particle size on ink and speck removal efficiency of the de-inking steps: Part I: Flotation. (T280) 10:25 & Part II: Cleaning. (T284) 10:29.  
 JUTRAS, D., ROWLAND, S.A., CORTEZ, L. & LAFLEUR, N. The Hymac HXD-64: A new concept in refiner design. (T14) 1:34.

# KEY TO ARTICLES IN VOLUME 94 FOR 1993

## AUTHORS

### A

AITCIN, P.C. See PIKULIK, L.I.  
 ALI, S.F. See HEITNER, C.  
 ALLISON, B.J. See TURNER, B.J.  
 ANDERSON, M.J. See JONES, A.K.  
 AU, C.O. & JOHANSSON, K.A. The use of cationic starch and anionic colloidal silica in waste. (T173) 6:55.  
 BACKMAN, R., HUPA, M. & TRAN, H. Modelling the sodium enrichment in lime kilns. (T387) 11:78.

### B

BAILEY, J. Planning ahead: The extended calendar puts you ahead of the game. 1:49.  
 BAILEY, J. Technical training: A guide to who's doing what and where. 6:12.  
 BAILEY, J. Top Picks. 7:14.  
 BAILEY, J. Preparation is key when mothballing machines. 8:9.  
 BAILEY, J. Recreating granite's release properties is a challenge. 10:10.  
 BAILEY, J. De-inking was the hot topic at the second Recycling Research Forum. 11:8.  
 BANFILL, H.M. & BENTLEY, S. Reduced emissions change chemical balances in bleached kraft pulp mills. (T21) 1:41.  
 BARYNIN, J.A., BERG, L., & LEE, B. Recent trends in NCG disposal system design. (T409) 12:74.  
 BENTLEY, S. See BANFILL, H.M.  
 BERG, L. See BARYNIN, J.A.  
 BIALKOWSKI, W.L. Dreams versus reality: A view from both sides of the gap. (T330) 11:19.  
 BLACK, S. See CRAWFORD, G.V.  
 BOISVERT, J.M.F. & CONNAGHAN, C.L. Steam and power balance improves energy efficiency at Elk Falls. (T124) 5:28.  
 BOISVERT, A. See MAHESAN M.  
 BOLKER, H.I. Focussing scientific excellence on mechanical pulping: The mechanical and chemimechanical pulps network. (T133) 5:38.  
 BRAHAN, J.W. Industrial applications of artificial intelligence: A National Research Council laboratory program. (T54) 2:42.  
 BRODERICK, G., VALADE, J.L. & PARIS, J. High-yield sulphite pulping based on a Plackett-Burman design. (T248) 9:22.  
 BROWN, G.J. See COCCI, A.  
 BROWN, R.W. See KHAN, S.  
 BRUNER, D.A. Purchasing/warehousing and accounts payable interface with the work order system. (T46) 2:32.  
 BUSSMAN, K. & KAPPEL, J. Peroxide bleaching of SGW for the production of coated printing paper for offset and rotogravure. (T1) 1:19.

### C

CANTRELL, J. See CHUNG, D.K.  
 CARRASCO, F. Ultra-high-yield pulping of aspen: Method for evaluating paper properties. (T63) 3:44.  
 CHANG, H.P. Development of ISO 9003 at Mackenzie Pulp. (T288) 10:33.  
 CHAPMAN, P.J. See JONES, A.K.  
 CHARBONNEAU, L. Sensodoc-10 condition monitoring system. (T491) 12:161.  
 CHUNG, D.K., CANTRELL, J. & LEFEVRE, G. Control of detrimental substances. (T403) 12:68.  
 COCCI, A., LANDINE, R., BROWN, G.J., MCCARTHY, P.J. & McMULLIN, M.J. Treatment of pulp and paper wastewater in a modified aerated lagoon system. (T49) 2:35.  
 COLE, T. See TRAN, H.  
 CONNAGHAN, C.L. See BOISVERT, J.M.F.  
 COOPER, D. See McQUAID, J.  
 CORBIN, J. See RAO, M.  
 CORNELIUS, R., RIIONHEIMO, M. & MARDON, A. The paper machine dryer section survey: Methodology and benefits. 8:10.  
 CORT, J.B., KELLER, W.F., LAROSE, J.P. & GOULET, M. AutomasTM control results in more uniform pulp quality at Daishowa Inc., Quebec City. (T450) 12:118.  
 CORTEZ, L. See JUTRAS, D.  
 CRAWFORD, G.V., BLACK, S., MIYAMOTO, H. & LIVER, S. Equipment selection and disposal of biological sludges from pulp and paper operations. (T100) 4:37.  
 CROTEAU, A.P., NOBLEZA, G.C. & ROCHE, A.A. Elucidating quality variations through time series analysis of mill data. (T25) 1:45.

### D

DALPHOND, J.E. See MANGIN, P.J.  
 de SOUZA, T.L.C. GC analysis of 1-20 PPB sulphur gases without preconcentration. (T114) 4:55.

DAMON, R.A. See TRAN, H.  
 DANEALUT, C. See MARCHILDON, L.  
 DICK, D. See McNEELY, R.  
 DODGE, H. & VLAAD, B. The E.B. Eddy emergency response unit. (T119) 5:19.  
 DOUEK, M. See SULLIVAN, J.

### E

EKBLAD, H. Automatic measurement of sheet directionality and elastic properties by ultrasound. (T269) 9:43.  
 ELLIOTT, J.S. See WALSH, A.R.

### F

FARKAS, M.O. See MEGRAW, S.R.  
 FAUCONNIER, W.R. Peak load control for a pulp and paper mill. (T365) 11:56.  
 FERGUSON, L.D. Laboratory de-inking practices. (T86) 4:23.  
 FLEMING, B.J. See LIEBERGOTT, N.  
 FOLKE, J. Macintosh computers. 8:53.  
 FOLKE, J. See McCUBBIN.  
 FOULGER, M. & HUDSPETH, D. Pre-calendering of newsprint. (T292) 10:37.  
 FRIEND, W.H. See WHITE, D.E.

### G

GALLAND, G. & VERNAC, Y. De-inking of wastepaper containing water-based flexo-printed newsprint. (T181) 6:71.  
 GAMMON, J.M. & PERRON, D.C. Improving press fabrics for optimal alkaline paper-making performance. (T339) 11:30.  
 GANDEK, T.P. See WHITE, D.E.  
 GAY, J.P., RANTANEN, R. & NYKANEN, I. A solution to calender sheet bubbling problems. (T32) 2:17.  
 GERBASI, B., STUART, P.R., ARSENAULT, F., ZALOUM, R. Techno-economic assessment of several closed cycle technology alternatives for an existing TMP-newsprint mill. (T455) 12:123.  
 GOULET, M. See CORT, J.B.  
 GOULET, Y. See WASON, S.K.  
 GOTTSCHING, L. See PUTZ, H.J.  
 GUSS, D.B. See KROFTA, M.

### H

HALL, J.D. See LING, T.F.  
 HATTON, J.V. & HUNT, K. Wood density and chemical properties of second-growth lodgepole pine. (T470) 12:140.  
 HAY, M.D. High performance work systems: An example. (11) 1:30.  
 HEITNER, C., ALI, S.F. & KERR, W.D. Printing grade ultra-high-yield pulps from sawmill waste and mixed hardwood. (T461) 11:130.  
 HESS, H. Paper and print characteristics of high quality grades: How to achieve calendering techniques. (T369) 11:60.  
 HILL, J., SAARINEN, K. & STENOS, R. On the control of chip refining systems. (T161) 6:43.  
 HIRZEL, J. High-efficiency motors give Abitibi-Price reliability. 6:9.  
 HORNER, R.J. & PATERSON, D.H. The Technical Section's 78th year in review. 3:20.  
 HORNER, R.J. Educational experiences. 3:32.  
 HORNFECK, K. See LIPPHARD, M.  
 HUDSPETH, D. See FOULGER, M.  
 HUNT, K. See HATTON, J.V.  
 HUPA, M. See BACKMAN, R.  
 HUSAIN, H. See KURIYCHUK, M.  
 HYNINEN, P. & PRYKE, D.C. Finnish pulp and paper mill activated sludge plants: Operating experience and designing for the future. (T325) 10:72.

### I

IJAS, L. Application of ISO 9001 quality system for recovery boiler supply. (T323) 10:70.

### J

JACKSON, M. See NORDIN, J.  
 JOHANSSON, K.A. See AU, C.O.  
 JONES, A.K. & ANDERSON, M.J. High solids firing at Arkansas Kraft. (T177) 6:65.  
 JONES, A.K., CHAPMAN, P.J. & MAHANEY, J. Improved air port arrangements for the secondary air level. (T252) 9:26.  
 JONES, A.K. & STEWART, R.I. The high solids breakpoint: A trade-off between SO<sub>2</sub> and NO<sub>x</sub>. (T479) 12:149.  
 JOSSINET, J. Custom de-inking of newsprint. (T60) 3:50.  
 JULIEN SAINT AMAND, F. & PERRIN, B. The effect of particle size on ink and speck removal efficiency of the de-inking steps: Part I: Flotation. (T280) 10:25 & Part II: Cleaning. (T284) 10:29.  
 JUTRAS, D., ROWLAND, S.A., CORTEZ, L. & LAFLEUR, N. The Hymac HXD-64: A new concept in refiner design. (T14) 1:34.

**K**

- KAPPELL, J. See BUSSMAN, K.  
 KELLER, W.F. See CORT, J.B.  
 KERR, W.D. See HEITNER, C.  
 KHAN, S. & BROWN, R.W. System problems associated with large synchronous motors in TMP plants. (T72) 3:33.  
 KROFTA, M. & GUSS, D.B. A new flotation/filtration system for water treatment and recycling. (T304) 10:49.  
 KUHASALO, A. & YL-KAUPPILA, J. Ropeless tail threading is now a reality. (T351) 11:42.  
 KURIYCHUK, M. & HUSAIN, H. An application of pinch technology to a kraft mill energy/process integration study. (T296) 10:41.

**L**

- LAFLEUR, N. See JUTRAS, D.  
 LANDINE, R. See COCCI, A.  
 LANDREVILLE, A. Soft calendaring at Stone-Consolidated Inc.'s Laurentide mill (T425) 12:90.  
 LANDRY, D., TRUDEL, J.P. & NICOL, R. Biological filtration: A compact process for the treatment of pulp and paper mill wastewaters: The Guérinmand-Voiron pilot experience. (T154) 6:35.  
 LANOUE, R. See VALADE, J.L.  
 LAPLANTE, B. Increasing mill efficiency by optimizing jumbo-roll size. (T29) 1:57.  
 LAPOINTE, M. See MARCHILDON, L.  
 LAROSE, J.P. See NORDIN, J.  
 LAROSE, J.P. See CORT, J.B.  
 LAVALLEE, H.C., ROUSSE, L. & PARADIS, R. A comprehensive study of the Quebec pulp and paper mill effluents an instrument to define a strategy for abatement. (T393) 11:84.  
 LAVALLEE, H.C. See LIU, H.W.  
 LAW, K.N. See VALADE, J.L.  
 LAW, K.N., ZHOU, W.X. & VALADE, J.L. Une étude préliminaire de la mise en pâte chimico-mécanique assistée par micro-ondes. (T223) 8:33.  
 LEASK, R. 18th Annual Mechanical Pulp Survey: Refiner capacity now stands at 94 120 tonnes a day. 3:14.  
 LEE, B. See BARYNIN, J.A.  
 LEFEVRE, G. See CHUNG, D.K.  
 LEMME, J. How new ink jet technology will serve the pulp and paper industry now and into the year 2000. (T40) 2:26.  
 LIEBERGOTT, N., VAN LIEROP, B. & FLEMING, B.I. Methods to decrease and eliminate AOX in the bleach plant. Part I: Lowering AOX levels in the bleach plant. (T300) 10:45.  
 LIEBERGOTT, N., VAN LIEROP, B. & FLEMING, B.I. Methods to decrease and eliminate AOX in the bleach plant. Part II: Elimination of all chlorine compounds. (T344) 11:35.  
 LING, T.F. Modifying surface properties of sticky materials through polymer/surfactant adsorption. (T273) 10:17.  
 LING, T.F., HALL, J.D. & WALKER, M.M. Novel test method for evaluating stickies deposition control. (T420) 12:85.  
 LIPPHARD, M., SCHRECK, B. & HORNFECK, K. Surface-chemical aspects of filler flotation in waste paper recycling. (T218) 8:27.  
 LIPPETT, G.V. Mill experience in a PGW bleach plant using high-consistency and medium-consistency technology. (T103) 4:40.  
 LIPPETT, G.V., TUOMINEN, R. & NERG, H. A new furnish for newsprint: De-inked pulp and super pressure groundwood. (T378) 11:69.  
 LIU, H.W., LO, S.N. & LAVALLEE, H.C. Study of the performance and kinetics of aerobic biological treatment of a CTMP effluent. (T502) 12:172.  
 LIVER, S. See CRAWFORD, G.V.  
 LO, S.N. See LIU, H.W.  
 LUTHE, C. & PRAHACS, S. Dioxins from pulp mill combustion processes: Implications and control. (T227) 8:37.

**M**

- MACCALLUM, C. Towards a superior recovery boiler air system. (T258) 9:32.  
 MACKAY, R.C. Trouble-shooting pump cavitation. 9:8.  
 MAHANEY, J. See JONES, A.K.  
 MAHESAN, M. & BOISVERT, A. Maintenance cost savings from improved control strategies: Woodroom/digester using PLCs/DCS systems. (T204) 7:28.  
 MALTAIS, D. Heat recovery on a paper machine hood. (T445) 12:113.  
 MANGIN, P.J. & DALPHOND, J.E. A novel approach to evaluate the linting propensity of newsprint: Part II: Case studies. (T5) 1:23.  
 MARCHILDON, L., DANEALU, C., LAPOINTE, M. & PELLETIER, C. Hydrogen peroxide, a plus to obtain an adequately white de-inked pulp at proper tint. (T145) 5:51.  
 MARDON, A. See CORNELIUS, R.  
 MARKOVIC, C.M. See ULOTH, V.C.  
 MARTINEZ, M. See TRAN, H.  
 MATHUR, I. Chelant optimization in de-inking formulation. (T310) 10:55.  
 McALPINE, S. Effluent treatment improvements at Prince Albert Pulp and Paper. (T58) 3:38.  
 McCANN, D. A review of recovery boilers process design. (80) 4:17.  
 McCARTHY, P.J. See COCCI, A.  
 McCUBBIN, N. Windows, wimp or wonderkind. 1:64.  
 McCUBBIN, N. Fax-reading computers. 2:46.  
 McCUBBIN, N. More on fax. 3:64.  
 McCUBBIN, N. Database management. 4:60.  
 McCUBBIN, N. Autocad keeps developing. 5:61.  
 McCUBBIN, N. Autocad hints. 6:85.  
 McCUBBIN, N. Gems for windows. 7:33.  
 McCUBBIN, N. & FOLKE, J. Eco-labelling in Europe. 9:47.  
 McCUBBIN, N. Where to buy your next computer. 10:77.  
 McCUBBIN, N. Getting schematics into the computer. 11:91.  
 McCUBBIN, N. & OWEN, D. Proposed environmental guidelines for US mills. 12:178.  
 McDONALD, P. & PETERSON, D. Electrical/electronic maintenance training. (T36) 2:21.

- McDONALD, J.D. See PIKULIK, I.I.  
 McDONALD, J.D. See TURNER, P.A.  
 McELHATTON, K. The outlook for the Canadian pulp and paper industry in 1993. 3:11.  
 McGURN, J.F. Composite tubes in black liquor recovery boilers: An update. (T428) 12:94.  
 McMULLIN, M.J. See COCCI, A.  
 McNEELY, R., PURVIS, J., DICK, D. & PARKINSON, S. The design, construction and start-up of a de-inking plant. (T316) 10:62.  
 McQUAID, J. & COOPER, D. Contingency plan for a low pH excursion in a recovery boiler due to an acid incursion. (T400) 12:64.  
 MEGRAW, S.R. & FARKAS, M.O. *Escherichia coli*: A potential source of native fecal coliforms in pulp and paper mill effluents. (T158) 6:39.  
 MIYAMOTO, H. See CRAWFORD, G.V.

**N**

- NERG, H. See LIPPETT, G.V.  
 NICOL, R. See LANDRY, D.  
 NOBLEZA, G.C. See CROTEAU, A.P.  
 NOEL, A., PARIS, J. & ROCHE, A. Simulation of white water management strategies for an integrated newsprint mill. (T383) 11:74.  
 NORDIN, J., JACKSON, M., SKOLD, H. & LAROSE, J.P. Continuous on-line measurement of pulp quality. (T433) 12:100.  
 NYKANEN, I. See GAY, J.P.

**O**

- OEL, J.K. See TURNER, B.J.  
 OGLE, T. Identification and organization of skills training for cross trades. (T306) 10:51.  
 O'NEILL, H.J. The big wave. (T129) 5:34.  
 OWSTON, T.H. See PIKULIK, I.I.

**P**

- PAICE, M.G. See SCOTT, B.P.  
 PARADIS, R. See LAVALLEE, H.C.  
 PARIS, J. See BRODERICK, G.  
 PARIS, J. See NOEL, A.  
 PARKINSON, S. See McNEELY, R.  
 PASTOR, C.E. Motors for FD and ID boiler fan applications. (T467) 12:136.  
 PATTERSON, D.H. See HORNER, R.J. PELLETIER, C. See MARCHILDON, L.  
 PENN, W.T. A customer's perspective on suppliers and quality management. (T215) 8:23.  
 PETERSON, D. Electrical/electronic maintenance training. (T36) 2:21.  
 PERRIN, B. See JULIEN SAINT AMAND, F.  
 PERRON, D.C. See GAMMON, J.M.  
 PICCIONE, J. Oversupply, sluggish demand keeping most chemical prices low. 1:15.  
 PIKULIK, I.I. See WHITE, D.E.  
 PIKULIK, I.I., McDONALD, J.D. & AITCIN, P.C. The release of wet paper from novel press roll materials. (T108) 4:46.  
 PIKULIK, I.I. & OWSTON, T.H. Press sections of Canadian newsprint machines. (T186) 6:78.  
 PLOUFFE, P. See CHARBONNEAU, L.  
 PRAHACS, S. See LUTHE, C.  
 PRYKE, D.C. See HYNINEN, P.  
 PULKOWSKI, J.H. Restraint drying with the Bel-Champ single-tier dryer. (T166) 6:48.  
 PURVIS, J. See McNEELY, R.  
 PUTZ, H.J., SCHAFFRATH, H.J. & GOTTSCHING, L. De-inking of oil- and water-borne printing inks: A new flotation de-inking model. (T193) 7:16.

**R**

- RANTANEN, R. See GAY, J.P.  
 RAO, M. & CORBIN, J. Intelligent system for batch digester operation. (T414) 12:79.  
 REEVE, D.W. See TRAN, H.  
 REHDER, R.H. Insulation systems developments for large electrical machines. (T347) 11:38.  
 RIIONHEIMO, M. See CORNELIUS, R.  
 ROBERTSON, M.D. The recovery of papermaking potential from de-inked pulp for fine paper. (T237) 8:47.  
 ROCHE, A.A. See CROTEAU, A.P.  
 ROCHE, A.A. See TURNER, P.A.  
 ROCHE, A.A. See NOEL, A.  
 RODRIGUEZ, II, E.S. On-line software tools for the mill production quality program. (T139) 5:45.  
 ROUSSE, L. See LAVALLEE, H.C.  
 ROWLAND, S.A. See JUTRAS, D.

**S**

- SAARINEN, K. See HILL, J.  
 SCHAFFRATH, H.J. See PUTZ, H.J.  
 SCHRECK, B. See LIPPHARD, M.  
 SCOTT, B.P., YOUNG, F. & PAICE, M.G. Mill-scale enzyme treatment of a softwood kraft pulp prior to bleaching. (T75) 3:57.  
 SHASTRI, S. See WASON, S.K.  
 SKOLD, H. See NORDIN, J.  
 SONNICHSEN, T.W. See WALSH, A.R.  
 SHEEL, R. Newsprint production at Howe Sound: Progress towards zero defects. (T42) 2:28.  
 SMITH, G.W. Cross-trading: Pros and cons. (T477) 12:147.  
 STENOS, R. See HILL, J.  
 STEVENSON, S.M. Rolland Inc. listens to its customers. 1:13.  
 STEVENSON, S.M. Bleaching is more than brightening: It's effluent too. 2:12.  
 STEVENSON, S.M. Domtar Windsor is on a winning track. 4:11.  
 STEVENSON, S.M. Pulp & Paper Canada celebrates 90 years. 5:13.  
 STEVENSON, S.M. Industry expenditure of \$4.7 billion needs careful study. 6:17.  
 STEVENSON, S.M. Newsprint forum 1: Useful exchange and shared experience in roundtable discussions. 7:9.

STEVENSON, S.M. PacWest at Whistler draws a crowd from across the country. 7:11.  
 STEVENSON, S.M. Control valves for pulp and paper need dynamic attention. 9:12.  
 STEVENSON, S.M. MacLaren's Thurso mill celebrates 35 years in business, plans expansion. 10:12.  
 STEVENSON, S.M. 80th Annual Meeting and Exor '94 preview. 11:10.  
 STEVENSON, S.M. It is "all systems go" for Alberta-Pacific. 11:13.  
 STEVENSON, S.M. Experience, ingenuity and hard work evident at TS Environment Conference. 12:11.  
 STEWART, R.I. See JONES, A.K.  
 SULLIVAN, J. & DOUEK, M. Effect of chemical treatments of bleaching effluents on AOX reduction (T495) 12:165.

## T

THOMPSON, C.B. A survey of inspection procedures and materials problems in chip refiner systems. (T199) 7:22.  
 TRAN, H., MARTINEZ, M., REEVE, D.W., COLE, T. & DAMON, R.A. Removal of recovery boiler fireside deposits by thermal shedding. (T358) 11:49.  
 TRAN, H. See BACKMAN, R.  
 TRUDEL, J.P. See LANDRY, D.  
 TRUDEL, J.G. Trade flexibility. (T320) 10:66.  
 TUOMINEN, R. See LIPPERT, G.V.  
 TURNER, P.A., ROCHE, A.A., McDONALD, J.D. & van HEININGEN, A.R.P. Dynamic behavior of a brownstock washing system. (T263) 9:37.  
 TURNER, P.A., ALLISON, B.J. & OEL, J.K. Brown stock washer filtrate tank level control. (T354) 11:45.

## U

ULOTH, V.C., MARKOVIC, C.M. & WALSH, A. Removal of fouling deposits in kraft recovery boilers by thermal shedding. (T483) 12:153.

## V

VAILLANCOURT, L. Practical aspects of de-inking on machine operations. (T488) 12:158.  
 VALADE, J.L., LAW, K.N., & LANOUE, R. Upgrading softwood CTMP by the use of hardwood. (T91) 4:28.  
 VALADE, J.L. See LAW, K.N.  
 VALADE, J.L. See BRODERICK, G.  
 VALTILA, O. Trends in effluent management in the Finnish pulp and paper industry. (T149) 5:56.  
 van HEININGEN, A.R.P. See TURNER, P.A.  
 van LIEROP, B. See LIEBERGOTT, N.  
 VERNAC, Y. See GALLAND, G.  
 VITORL, C.M. Stock velocity and stickies removal efficiency in slotted pressure screens. (T441) 12:109.  
 VLAAD, B. See DODGE, H.

## W

WALKER, M.M. See LING, T.F.  
 WALSH, A.R., SONNICHSEN, T.W. & ELLIOTT, J.S. Recovery boiler circulation measurement and analysis. (T121) 5:24.  
 WALSH, A. See ULOTH, V.C.  
 WASON, S.K., SHASTRI, S. & GOULET, Y. PSS products for newsprint and groundwood papers. (T209) 8:16.  
 WHITE, D.E., GANDEK, T.P., PIKULIN, M.A. & FRIEND, W.H. Importance of reactor design in high-consistency ozone bleaching. (T242) 9:16.  
 WILLIAMSON, P.N. There's more to corrosion than meets the eye. 1:9.  
 WILLIAMSON, P.N. Clean air is on the regulators' list too. 2:9.  
 WILLIAMSON, P.N. Still some holes in the road but PaperWeek offered new hope. 3:17.  
 WILLIAMSON, P.N. Winning gadgets stress safety. 3:28.

## Y

YLA-KAUPPIA, J. See KUHASALO, A.  
 YOUNG, F. See SCOTT, B.P.

## Z

ZHOU, W.X. See LAW, K.N.

## SUBJECT

## A

ACCOUNTING. Purchasing/warehousing and accounts payable interface with the work order system. D.A. Bruner. (T46) 2:32.  
 ADDITIVES. The use of cationic starch and anionic colloidal silica in waste. C.O. Au et al. (T173) 6:55.  
 AEROBIC PROCESS. Study of the performance and kinetics of aerobic biological treatment of a CTMP effluent. H.W. Liu et al. (T502) 12:172.  
 AI SYSTEMS. Intelligent system for batch digester operation. M. Rao et al. (T414) 12:79.  
 ANNIVERSARY. Pulp & Paper Canada celebrates 90 years. S.M. Stevenson. 5:13.  
 ANNIVERSARY. MacLaren's Thurso mill celebrates 35 years in business, plans expansion. S.M. Stevenson. 10:10.  
 AOX CONTROL. Effect of chemical treatments of bleaching effluents on AOX reduction. J. Sullivan & M. Douek. (T495) 12:165.  
 APPLICATION of pinch technology to a kraft mill energy/process integration study. M. Kurichuk et al. (T296) 10:41.  
 APPLICATION of ISO 9001 quality system for recovery boiler supply. L. Ijas. (T323) 10:70.  
 AUTOCAD keeps developing. N. McCubbin. 5:61.  
 AUTOCAD hints. N. McCubbin. 6:85.  
 AUTOMASS™ control results in more uniform pulp quality at Daishowa Inc., Quebec City. J.B. Cort et al. (T450) 12:118.  
 AUTOMATIC measurement of sheet directionality and elastic properties by ultrasound. H. Ekblad. (T269) 9:43.

## B

BACTERIA. *Escherichia coli*: A potential source of native fecal coliforms in pulp and paper mill effluents. S.R. Megraw et al. (T158) 6:39.  
 BIG WAVE. H.J. O'Neill. (T129) 5:34.  
 BIOLOGICAL FILTRATION: A compact process for the treatment of pulp and paper mill wastewaters: The Guérinmand-Voirion pilot experience. D. Landry et al. (T154) 6:35.  
 BLEACHING is more than brightening: It's effluent too. S.M. Stevenson. 2:12.  
 BLEACHING. Non-chlorine bleaching aims at closing the process loop. P&PC report. 5:8.  
 BLEACHERY EFFLUENTS. Effect of chemical treatments of bleaching effluents on AOX reduction. J. Sullivan & M. Douek. (T495) 12:165.  
 BLEACHING EFFLUENTS. Methods to decrease and eliminate AOX in the bleach plant. Part I: Lowering AOX levels in the bleach plant. N. Liebergott et al. (T300) 10:45 & Part II: Elimination of all chlorine compounds. (T344) 11:35.  
 BLEACHING PLANTS. Mill experience in a PGW bleach plant using high-consistency and medium-consistency technology. G.V. Lippert. (T103) 4:40.  
 BOILER CLEANING. Removal of fouling deposits in kraft recovery boilers by thermal shedding. V.C. Uloth et al. (T483) 12:153.  
 BROWN STOCK washer filtrate tank level control. P.A. Turner et al. (T354) 11:45.  
 BURNING ISSUE: Mill fires are costly and preventable. P&PC staff. 4:8.

## C

CALENDERING. A solution to calender sheet bubbling problems. J.P. Gay et al. (T32) 2:17.  
 CAPITAL SPENDING. Industry expenditure of \$4.7 billion needs careful study. S.M. Stevenson. 6:17.  
 CHELATANT optimization in de-inking formulation. I. Mathur. (T310) 10:55.  
 CHEMICALS. Oversupply, sluggish demand keeping most chemical prices low. J. Piccione. 1:15.  
 CHEMICALS. Reduced emissions change chemical balances in bleached kraft pulp mills. H.M. Banfill et al. (T21) 1:41.  
 CLEAN AIR is on the regulators' list too. P.N. Williamson. 2:9.  
 COATED PAPERS. Peroxide bleaching of SGW for the production of coated printing paper for offset and rotogravure. K. Bussman et al. (T1) 1:19.  
 COMBUSTION. Towards a superior recovery boiler air system. C. MacCallum. (T258) 9:32.  
 COMPOSITE TUBES in black liquor recovery boilers: An update. J.F. McGurn. (T428) 12:94.  
 COMPREHENSIVE study of the Quebec pulp and paper mill effluents: An instrument to define a strategy for abatement. H.C. Lavallée et al. (T393) 11:84.  
 COMPUTERS. Steam and power balance improves energy efficiency at Elk Falls. J.M.F. Boisvert et al. (T124) 5:28.  
 CONFERENCES  
 79th Annual Meeting. P.N. Williamson. 3:17.  
 CPPA FORECAST. R.J. HORNER et al. 3:20.  
 Non-chlorine bleaching conference. P&PC Report. 5:8.  
 PacWest. S.M. Stevenson. 7:11.  
 Conference technologique estivale. Y. Lavertu. 7:12.  
 Recycling Research Conference. J. Bailey. 11:8.  
 Environment Conference. S.M. Stevenson. 12:11.  
 CONTINGENCY plan for a low pH excursion in a recovery boiler due to an acid incursion. J. McQuaid et al. (T400) 12:64.  
 CONTINUOUS on-line measurement of pulp quality. J. Nordin et al. (T433) 12:100.  
 CONTROL SYSTEMS. Dreams versus reality: A view from both sides of the gap. W.L. Bialkowski. (T330) 11:19.  
 CONTROL SYSTEMS. Automase™ control results in more uniform pulp quality at Daishowa Inc., Quebec City. J.B. Cort et al. (T450) 12:118.  
 CONTROL valves for pulp and paper need dynamic attention. S.M. Stevenson. 9:12.  
 CONTROL of detrimental substances. D.K. Chung et al. (T403) 12:68.  
 COST ENGINEERING. An application of pinch technology to a kraft mill energy/process integration study. M. Kurichuk et al. (T296) 10:41.  
 CPPA FORECAST. The outlook for the Canadian pulp and paper industry in 1993. K. McElhatton. 3:11.  
 CROSS-TRADING: Pros and cons. G.W. Smith. (T477) 12:147.  
 CTMP. Upgrading softwood CTMP by the use of hardwood. J.L. Valade. (T91) 4:28.  
 CUSTOM de-inking of newsprint. J. Jossinet. (T69) 3:50.  
 CUSTOMER's perspective on suppliers and quality management. W.T. Penn. (T215) 8:23.

## D

DATABASE management. N. McCubbin. 4:60.  
 DE-INKING. Custom de-inking of newsprint. J. Jossinet. (T69) 3:50.  
 DE-INKING. Laboratory de-inking practices. L.D. Ferguson. (T86) 4:23.  
 DE-INKING. Hydrogen peroxide, a plus to obtain an adequately white de-inked pulp at proper tint. L. Marchildon et al. (T145) 5:51.  
 DE-INKING of wastepaper containing water-based flexo-printed newsprint. G. Galland et al. (T181) 6:71.  
 DE-INKING of oil- and water-borne printing inks: A new flotation de-inking model. H.J. Putz et al. (T193) 7:16.  
 DE-INKING. The effect of particle size on ink and speck removal efficiency of the de-inking steps: Part I: Flotation. F. Julien Saint Amand et al. (T280) 10:25 & Part II: Cleaning. (T284) 10:29.  
 DE-INKING. Chelant optimization in de-inking formulation. I. Mathur. (T310) 10:55.  
 DE-INKING was the hot topic at the second Recycling Research Forum. J. Bailey 11:8.  
 DESIGN, construction and start-up of a de-inking plant. R. McNeely et al. (T316) 10:62.  
 DEVELOPMENT of ISO 9003 at Mackenzie Pulp. H.P. Chang. (T288) 10:33.  
 DIOXINS from pulp mill combustion processes: Implications and control. C. Luthé et al. (T227) 8:37.  
 DISC REFINERS. The Hymac HXD-64: A new concept in refiner design. D. Jutras et al. (T14) 1:34.  
 DOMTAR Windsor is on a winning track. S.M. Stevenson. 4:11.  
 DREAMS versus reality: A view from both sides of the gap. W.L. Bialkowski. (T330) 11:19.



**DRYER SURVEY.** The paper machine dryer section survey: Methodology and benefits. R. Cornelius et al. 8:11.  
**DRYING.** Restraint drying with the Bel-Champ single-tier dryer. J.H. Pulkowski. (T166) 6:48.  
**DYNAMIC** behavior of a brownstock washing system. P.A. Turner et al. (T263) 9:37.  
 80th ANNUAL MEETING and Exdor '94 preview. S.M. Stevenson. 11:10.

**E**

**E.B. EDDY** emergency response unit. H. Dodge et al. (T119) 5:19.  
**ECO-LABELLING** in Europe. N. McCubbin et al. 9:47.  
**EDUCATION.** Electrical/electronic maintenance training. P. McDonald et al. (T36) 2:21.  
**EDUCATIONAL** experiences. R.J. Horner. 3:32.  
**EDUCATION.** Technical training: A guide to who's doing what and where. J. Bailey. 6:12.  
**EFFECT** of particle size on ink and speck removal efficiency of the de-inking steps: Part I: Flotation. F. Julien Saint Amand et al. (T280) 10:25 & Part II: Cleaning. (T284) 10:29.  
**EFFLUENT TREATMENT.** Treatment of pulp and paper wastewater in a modified aerated lagoon system. A. Cocci et al. (T49) 2:35.  
**EFFLUENT TREATMENT** improvements at Prince Albert Pulp and Paper. S. McAlpine. (T58) 3:38.  
**EFFLUENT TREATMENT.** Equipment selection and disposal of biological sludges from pulp and paper operations. G.V. Crawford et al. (T100) 4:37.  
**EFFLUENT TREATMENT.** Trends in effluent management in the Finnish pulp and paper industry. O. Valttila. (T149) 5:56.  
**EFFLUENT TREATMENT.** Finnish pulp and paper mill activated sludge plants: Operating experience and designing for the future. P. Hynninen et al. (T325) 10:72.  
 18th Annual Mechanical Pulping Survey: Refiner capacity now stands at 94 120 tonnes a day. R. Leask. 3:14.  
**ELECTRICAL/ELECTRONIC** maintenance training. P. McDonald et al. (T36) 2:21.  
**ELECTRICITY.** Insulation systems developments for large electrical machines. R.H. Rehder. (T347) 11:38.  
**ELUCIDATING QUALITY** variations through time series analysis of mill data. A.P. Croteau et al. (T25) 1:45.  
**EMISSION CONTROL.** The high solids breakpoint: A trade-off between SO<sub>2</sub> and NO<sub>x</sub>. A.K. Jones et al. (T479) 12:149.  
**ENVIRONMENT CONFERENCE REPORT.** S.M. Stevenson. 12:11.  
**ENVIRONMENTAL GUIDELINES.** N. McCubbin. 12:178.  
**ENZYMES.** Mill-scale enzyme treatment of a softwood kraft pulp prior to bleaching. B.P. Scott et al. (T75) 3:57.  
**EQUIPMENT** selection and disposal of biological sludges from pulp and paper operations. G.V. Crawford et al. (T100) 4:37.  
**ESCHERICHIA COLI:** A potential source of native fecal coliforms in pulp and paper mill effluents. S.R. Megraw et al. (T158) 6:39.  
**EXTENDED CALENDAR.** Planning ahead: The extended calendar puts you ahead of the game. J. Bailey. 1:49.

**F**

**FAX-READING** computers. N. McCubbin. 2:46.  
**FIBRE SUPPLY.** A new furnish for newsprint: De-inked pulp and super pressure groundwood. G.V. Lippert et al. (T378) 11:69.  
**FINE PAPERS.** Rolland Inc. listens to its customers. S.M. Stevenson. 1:13.  
**FINE PAPERS.** Domtar Windsor is on a winning track. S.M. Stevenson. 4:11.  
**FINE PAPERS.** The recovery of papermaking potential from de-inked pulp for fine paper. M.D. Robertson. (T257) 8:47.  
**FINNISH** pulp and paper mill activated sludge plants: Operating experience and designing for the future. P. Hynninen et al. (T325) 10:72.  
**FOCUSING** scientific excellence on mechanical pulping: The mechanical and chemimechanical pulps network. H.J. Bolker. (T133) 5:38.

**G**

**GC ANALYSIS** of 1-20 PPB sulphur gases without preconcentration. T.L.C. de Souza. (T114) 4:55.  
**GEMS** for windows. N. McCubbin. 7:33.  
**GETTING** schematics into the computer. N. McCubbin. 11:91.

**H**

**HEAT RECOVERY** on a paper machine hood. D. Maltais. (T445) 12:113.  
**HIGH-EFFICIENCY** motors give Abitibi-Price reliability. J. Hirzel. 6:9.  
**HIGH SOLIDS** firing at Arkansas Kraft. A.K. Jones et al. (T177) 6:65.  
**HIGH SOLIDS** breakpoint: A trade-off between SO<sub>2</sub> and NO<sub>x</sub>. A.K. Jones et al. (T479) 12:149.  
**HIGH PERFORMANCE** work systems: An example. M.D. Hay. (T11) 1:30.  
**HIGH-YIELD** sulphite pulping based on a Plackett-Burman design. G. Broderick et al. (T248) 9:22.  
**HOW** new ink jet technology will serve the pulp and paper industry now and into the year 2000. J. Lemme. (T40) 2:26.  
**HYDROGEN PEROXIDE,** a plus to obtain an adequately white de-inked pulp at proper tint. L. Marchildon et al. (T145) 5:51.  
**HYMAC HXD-64:** A new concept in refiner design. D. Jutras et al. (T14) 1:34.

**I**

**IDENTIFICATION** and organization of skills training for cross trades. T. Ogle. (T306) 10:51.  
**IMPORTANCE** of reactor design in high-consistency ozone bleaching. D.E. White et al. (T242) 9:16.  
**IMPROVED** air port arrangements for the secondary air level. A.K. Jones et al. (T252) 9:26.  
**IMPROVING** press fabrics for optimal alkaline papermaking performance. J.M. Gammon et al. (T339) 11:30.  
**IMPURITIES.** Control of detrimental substances. D.K. Chung et al. (T403) 12:68.  
**INCREASING** mill efficiency by optimizing jumbo-roll size. B. Laplante. (T29) 1:57.  
**INDUSTRIAL APPLICATIONS** of artificial intelligence: A national research council laboratory program. J.W. Brahan. (T54) 2:42.  
**INDUSTRY** expenditure of \$4.7 billion needs careful study. S.M. Stevenson. 6:17.

# WHEN THE QUESTION IS STOCK PREP, THE ANSWER IS BOLTON-EMERSON AMERICAS.

We've been working with mills throughout the world for over 50 years to make their stock prep more efficient. Over the course of time, we have encountered and solved a broad range of problems. When you have a stock prep requirement, give us a call... chances are excellent that we can help.

- Tornado II™ Pulpers
- Deflakers
- Magnetic Separators
- Electro 4™ Disc Refiners
- Disc Plates
- Refiner Rebuilds
- Jordans
- Jordan Plugs & Fillings
- Clafin Refiners
- Clafin Plugs & Fillings
- Beater Fillings
- Refiner & Pulper Parts



Known For Quality  
Paper-Making Machinery

**Bolton-Emerson Americas Inc.**  
9 Osgood St., Lawrence, MA 01842

Manufacturer of Quality  
Refiner Disc Plates

**B.E.A. Foundry Inc.**  
5 Alton Hall Road, Cairo, GA 31728

508-686-3961 • 508-688-8225 Fax

**INFORMATION SYSTEMS.** Industrial applications of artificial intelligence: A National Research Council laboratory program. J.W. Brahan. (T54) 2:42.  
**INK/JET PRINTING.** How new ink jet technology will serve the pulp and paper industry now and into the year 2000. J. Lemme. (T40) 2:26.  
**INSPECTION.** A survey of inspection procedures and materials problems in chip refiner systems. C.B. Thompson. (T199) 7:22.  
**INSULATION SYSTEMS** developments for large electrical machines. R.H. Rehder. (T347) 11:38.  
**INTELLIGENT SYSTEM** for batch digester operation. M. Rao et al. (T414) 12:79.  
**ISO 9001.** Application of ISO 9001 quality system for recovery boiler supply. L. Ijas. (T323) 10:70.  
**IT IS "all systems go"** for Alberta-Pacific. S.M. Stevenson. 11:13.

**JUMBO ROLLS.** Increasing mill efficiency by optimizing jumbo-roll size. B. Laplante. (T29) 1:57.

**KRAFT MILLS.** High solids firing at Arkansas Kraft. A.K. Jones et al. (T177) 6:65

**LABOR ECONOMICS.** Trade flexibility. J.G. Trudel. (T320) 10:66.  
**LABORATORY de-inking practices.** L.D. Ferguson. (T86) 4:23.  
**LIME KILNS.** Modelling the sodium enrichment in lime kilns. R. Backman et al. (T387) 11:78.  
**LINTING.** A novel approach to evaluate the linting propensity of newsprint: Part II: Case studies. P.J. Mangin et al. (T5) 1:23.  
**LOSS PREVENTION.** A burning issue: Mill fires are costly and preventable. P&PC staff. 4:8.

**MACHINE CLOTHING.** Improving press fabrics for optimal alkaline papermaking performance. J.M. Gammon et al. (T339) 11:30.  
**MACHINE DESIGN.** Pre-calendering of newsprint. M. Foulger et al. (T292) 10:37.  
**MACHINE UPGRADING.** Soft calendering at Stone-Consolidated Inc.'s Laurentide mill. A. Landreville. (T425) 12:90.  
**MACINTOSH computers.** J. Folke. 8:53.  
**MACLAREN'S** Thurso mill celebrates 35 years in business, plans expansion. S.M. Stevenson. 10:12.  
**MAINTENANCE** cost savings from improved control strategies: Woodroom/digester using PLCs/CDS systems. M. Mahesan et al. (T204) 7:28.  
**MAINTENANCE.** Preparation is key when mothballing machines. J. Bailey. 8:9.  
**MAINTENANCE.** Trouble-shooting pump cavitation. R.C. Mackay. 9:8.  
**MANAGEMENT.** High performance work systems: An example. M.D. Hay. (T11) 1:30.  
**MATERIALS.** There's more to corrosion than meets the eye. P.N. Williamson. 1:9.  
**MECHANICAL PULPING.** 18th annual survey: Refiner capacity now stands at 94 120 tonnes a day. R. Leask. 3:14.  
**MECHANICAL PULPS.** Printing grade ultra-high-yield pulps from sawmill waste and mixed hardwood. C. Heimer et al. (T461) 12:130.  
**METHODS** to decrease and eliminate AOX in the bleach plant. Part I: Lowering AOX levels in the bleach plant. N. Liebergott et al. (T300) 10:45 and Part II: Elimination of all chlorine compounds. (T344) 11:35.  
**MILL EXPERIENCE** in a PGW bleach plant using high-consistency and medium-consistency technology. G.V. Lippert. (T103) 4:40.  
**MILL-SCALE** enzyme treatment of a softwood kraft pulp prior to bleaching. B.P. Scott et al. (T75) 3:57.  
**MODELLING** the sodium enrichment in lime kilns. R. Backman et al. (T387) 11:78.  
**MODIFYING SURFACE** properties of sticky materials through polymer/surfactant adsorption. T.F. Ling. (T273) 10:17.  
**MORE** on fax...N. McCubbin. 3:64.  
**MOTORS.** High-efficiency motors give Abitibi-Price reliability. J. Hirzel. 6:9.  
**MOTORS** for FD and ID boiler fan applications. C.E. Pastor. (T467) 12:136.

**NEW FLOTATION/FILTRATION** system for water treatment and recycling. M. Krofta et al. (T304) 10:49.  
**NEW FURNISH** for newsprint: De-inked pulp and super pressure groundwood. G.V. Lippert et al. (T378) 11:69.  
**NEW MILL.** It is "all systems go" for Alberta-Pacific. S.M. Stevenson. 11:13.  
**NEW PLANT.** The design, construction and start-up of a de-inking plant. R. McNeely et al. (T316) 10:62.  
**NEWSPRINT** production at Howe Sound: Progress towards zero defects. R. Sheel. (T42) 2:28.  
**NEWSPRINT FORUM 1:** Useful exchange and shared experience in roundtable discussions. S.M. Stevenson. 7:9.  
**NEWPRINT.** PSS Products for newsprint and groundwood papers. S.K. Wason et al. (T209) 8:16.  
**NON-CHLORINE** bleaching aims at closing the process loop. P&PC report. 5:8.  
**NOVEL APPROACH** to evaluate the linting propensity of newsprint: Part II: Case studies. P.J. Mangin et al. (T5) 1:23.  
**NOVEL TEST** method for evaluating stickies deposition control. T.F. Ling et al. (T420) 12:85.

**ON-LINE SOFTWARE** tools for the mill production quality program. E.S. Rodriguez II. (T139) 3:45.  
**ON THE CONTROL** of chip refining systems. J. Hill et al. (T161) 6:43.  
**OPERATIONS.** Simulation of white water management strategies for an integrated newsprint mill. A. Noël et al. (T383) 11:74.  
**OPERATIONS.** Cross-trading: Pros and cons. G.W. Smith. (T477) 12:147.  
**OUTLOOK** for the Canadian pulp and paper industry in 1993. K. McElhatton. 3:11.  
**OVERSUPPLY,** sluggish demand keeping most chemical prices low. J. Piccione. 1:15.  
**OZONE BLEACHING.** Importance of reactor design in high-consistency ozone bleaching. D.E. White et al. (T242) 9:16.

**PACWEST** at Whistler draws a crowd from across the country. S.M. Stevenson. 7:11.  
**PAPER AND PRINT** characteristics of high quality grades: How to achieve calendering techniques. H. Hess. (T369) 11:60.  
**PAPER MACHINE** dryer section survey: Methodology and benefits. R. Cornelius et al. 8:10.  
**PAPER PROPERTIES.** Ultra-high-yield pulping of aspen: Method for evaluating paper properties. F. Carraço. (T63) 3:44.  
**PEAK LOAD** control for a pulp and paper mill. W.R. Fauconnier. (T365) 11:56.  
**PEROXIDE BLEACHING** of SGW for the production of coated printing paper for off-set and rotogravure. K. Bussman et al. 1:19.  
**pH CONTROL.** Contingency plan for a low pH excursion in a recovery boiler due to an acid incursion. J. McQuaid et al. (T400) 12:64.  
**PLANNING AHEAD:** The extended calendar puts you ahead of the game. J. Bailey. 1:49.  
**POLLUTION CONTROL.** Biological filtration: A compact process for the treatment of pulp and paper mill wastewaters: The Guérin-Voirion pilot experience. D. Landry et al. (T154) 6:35.  
**POLLUTION CONTROL.** A comprehensive study of the Quebec pulp and paper mill effluents: An instrument to define a strategy for abatement. H.C. Lavalée et al. (T393) 11:84.  
**POLLUTION CONTROL.** Recent trends in NCG disposal system design. J.A. Barynin et al. (T409) 12:74.  
**POWER SYSTEMS.** System problems associated with large synchronous motors in TMP plants. S. Khan et al. (T72) 3:53.  
**POWER.** Peak load control for a pulp and paper mill. W.R. Fauconnier. (T365) 11:56.  
**PRACTICAL ASPECTS** of de-inking on machine operations. L. Vaillancourt. (T487) 12:157.  
**PRE-CALENDERING** of newsprint. M. Foulger et al. (T292) 10:37.  
**PREPARATION** is key when mothballing machines. J. Bailey. 8:9.  
**PRESSING.** The release of wet paper from novel press roll materials. I.I. Pikulik et al. (T103) 4:46.  
**PRESSING.** Press sections of Canadian newsprint machines. I.I. Pikulik et al. (T186) 6:78.  
**PRESS SECTIONS** of Canadian newsprint machines. I.I. Pikulik et al. (T186) 6:78.  
**PRINT QUALITY.** Paper and print characteristics of high quality grades: How to achieve calendering techniques. H. Hess. (T369) 11:60.  
**PRINTING GRADE** ultra-high yield pulps from sawmill waste and mixed hardwood. C. Heimer et al. (T461) 12:130.  
**PROCESS CONTROL.** Brown stock washer filtrate tank level control. P.A. Turner et al. (T354) 11:45.  
**PSS PRODUCTS** for newsprint and groundwood papers. S.K. Wason et al. (T209) 8:16.  
**PUBLIC RELATIONS.** The big wave. H.J. O'Neill. (T29) 5:34.  
**PULP & PAPER CANADA** celebrates 90 years. S.M. Stevenson. 5:13.  
**PULP WASHING.** Dynamic behavior of a brownstock washing system. P.A. Turner et al. (T263) 9:37.  
**PURCHASING/WAREHOUSING** and accounts payable interface with the work order system. D.A. Bruner. (T46) 2:32.

**QUALITY.** Continuous on-line measurement of pulp quality. J. Nordin et al. (T433) 12:100.  
**QUALITY CONTROL.** Elucidating quality variations through time series analysis of mill data. A.P. Croteau et al. (T25) 1:45.  
**QUALITY CONTROL.** On-line software tools for the mill production quality program. E.S. Rodriguez II. (T139) 3:45.  
**QUALITY CONTROL.** A customer's perspective on suppliers and quality management. W.T. Penn. (T215) 8:23.  
**QUALITY SYSTEMS.** Development of ISO 9003 at Mackenzie Pulp. H.P. Chang. (T288) 10:33.

**RECENT TRENDS** in NCG disposal system design. J.A. Barynin et al. (T409) 12:74.  
**RECOVERY BOILERS.** A review of recovery boilers process design. D. McCann. (T80) 4:17.  
**RECOVERY BOILER** circulation measurement and analysis. A.R. Walsh et al. (T121) 5:24.  
**RECOVERY BOILER.** Removal of recovery boiler fireside deposits by thermal shedding. H. Tran et al. (T358) 11:49.  
**RECOVERY BOILERS.** Composite tubes in black liquor recovery boilers: An update. J.E. McGurn. (T428) 12:94.  
**RECOVERY FURNACES.** Recovery boiler circulation measurement and analysis. A.R. Walsh et al. (T121) 5:24.  
**RECOVERY FURNACES.** Improved air port arrangements for the secondary air level. A.K. Jones et al. (T252) 9:26.  
**RECOVERY** of papermaking potential from de-inked pulp for fine paper. M.D. Robertson. (T237) 8:47.  
**RECREATING** granite's release properties is a challenge. J. Bailey. 10:10.  
**RECYCLED FIBRES.** Practical aspects of de-inking on machine operations. L. Vaillancourt. (T487) 12:157.  
**RECYCLING.** Surface-chemical aspects of filler flotation in waste paper recycling. M. Liphard et al. (T218) 8:27.  
**RECYCLING.** Stock velocity and stickies removal efficiency in slotted pressure screens. C.M. Vitori. (T441) 12:109.  
**RECYCLING.** Novel test method for evaluating stickies deposition control. T.F. Ling et al. (T420) 12:85.  
**RECYCLING** research forum. J. Bailey. 11:8.  
**REDUCED** emissions change chemical balances in bleached kraft pulp mills. H.M. Banfill et al. (T21) 1:41.  
**REFINING.** On the control of chip refining systems. J. Hill et al. (T161) 6:43.  
**REFINING.** Une étude préliminaire de la mise en pâte chimico-mécanique assistée par micro-ondes. K.N. Law et al. (T223) 8:33.  
**RELEASE** of wet paper from novel press roll materials. I.I. Pikulik et al. (T108) 4:46.  
**REMOVAL** of recovery boiler fireside deposits by thermal shedding. H. Tran et al. (T358) 11:49.

**REMOVAL** of fouling deposits in kraft recovery boilers by thermal shedding. V.C. Uloth et al. (T483) 12:156.  
**RESEARCH**. Focussing scientific excellence on mechanical pulping: The mechanical and chemimechanical pulps network. H.I. Bolker. (T133) 5:38.  
**RESTRAINT DRYING** with the Bel-Champ single-tier dryer. J.H. Palkowski. (T166) 6:48.  
**REVIEW** of recovery boilers process design. D. McCann. (T80) 4:17.  
**ROLL COVERS**. Recreating granite's release properties is a challenge. J. Bailey. 10:10.  
**ROLLAND INC.** listens to its customers. S.M. Stevenson. 1:13.  
**ROPELESS** tail threading is now a reality. A. Kuhasalo et al. (T351) 11:42

**S**

**SAFETY**. The E.B. Eddy emergency response unit. H. Dodge et al. (T119) 5:19.  
**SESSION** notebook. P&PC staff. 3:34.  
**SIMULATION** of white water management strategies for an integrated newsprint mill. A. Noël et al. (T383) 11:74.  
**SOFT CALENDERING** at Stone-Consolidated Inc.'s Laurentide mill. A. Landreville. (T425) 12:90.  
**SOLUTION** to calender sheet bubbling problems. J.P. Gay et al. (T32) 2:17.  
**STEAM** and power balance improves energy efficiency at Elk Falls. J.M.F. Boivert et al. (T124) 5:28.  
**STILL** some holes in the road but PaperWeek offered new hope. P.N. Williamson. 3:17.  
**STOCK VELOCITY** and sickies removal efficiency in slotted pressure screens. C.M. Vitori. (T441) 12:109.  
**STUDY** of the performance and kinetics of aerobic biological treatment of a CTMP effluent. H.W. Liu et al. (T502) 12:172.  
**SURFACE-CHEMICAL** aspects of filler flotation in waste paper recycling. M. Liphard et al. (218) 8:27.  
**SURFACTANTS**. De-inking of oil- and water-borne printing inks: A new flotation de-inking model. H.J. Putz et al. (T193) 7:16.  
**SURVEY** of inspection procedures and materials problems in chip refiner systems. C.B. Thompson. (T199) 7:22.  
**SYSTEM** problems associated with large synchronous motors in TMP plants. S. Khan et al. (T72) 3:53.

**T**

**TECHNICAL SECTION'S** 78th year in review. R. J. Horner et al. 3:20.  
**TECHNICAL TRAINING**: A guide to who's doing what and where. J. Bailey. 6:12.  
**TEST EQUIPMENT**. GC analysis of 1-20 PPB sulphur gases without preconcentration. T.L.C. de Souza. (T114) 4:55.  
**TEST METHODS**. Modifying surface properties of sticky materials through polymer/surfactant adsorption. T.F. Ling. (T273) 10:17.  
**THERE'S** more to corrosion than meets the eye. P.N. Williamson. 1:9.  
**TOP PICKS**. J. Bailey. 7:14.  
**TOWARDS** a superior recovery boiler air system. C. MacCallum. (T258) 9:32.  
**TRADE** flexibility. J.G. Trudel. (T320) 10:66.  
**TRAINING**. Identification and organization of skills training for cross trades. T. Ogle. (T306) 10:51.  
**TREATMENT** of pulp and paper wastewater in a modified aerated lagoon system. A. Cocci et al. (T49) 2:35.  
**TRENDS** in effluent management in the Finnish pulp and paper industry. O. Valtuila. (T149) 5:56.  
**TROUBLESHOOTING** pump cavitation. R.C. Mackay. 9:8.

**U**

**ULTRA-HIGH-YIELD** pulping of aspen: Method for evaluating paper properties. F. Carrasco. (T63) 3:44.  
**ULTRASONIC TESTS**. Automatic measurement of sheet directionality and elastic properties by ultrasound. H. Ekblad. (T269) 9:43.  
**UNE ÉTUDE** préliminaire de la mise en pâte chimico-mécanique assistée par micro-ondes. K.N. Law et al. (T223) 8:33.  
**UPGRADING** softwood CTMP by the use of hardwood. J.L. Valade et al. (T91) 4:28.  
**USE** of cationic starch and anionic colloidal silica in waste. C.O. Au et al. (T173) 6:55.

**V**


**VALVES**. Control valves for pulp and paper need dynamic attention. S.M. Stevenson. 9:12.

**W**

**WEB THREADING**. Ropeless tail threading is now a reality. A. Kuhasalo et al. (T351) 11:42.  
**WHERE** to buy your next computer. N. McCubbin. 10:77.  
**WINDOWS**, wimp or wunderkind. N. McCubbin. 1:64.  
**WINNING** gadgets stress safety. P.N. Williamson. 3:28.  
**WOOD DENSITY** and chemical properties of second-growth lodgepole pine. J.V. Hatton et al. (T470) 12:140.  
**WOOD PROPERTIES**. Wood density and chemical properties of second-growth lodgepole pine. J.V. Hatton et al. (T470) 12:140.

**PULP & PAPER CANADA** covers all major conferences and some of the smaller ones too. Read the highlights of the meetings in the magazine.

# Robinson: the Big Fan Experts




**Application:** Thermal oxidizer incineration system

**Fan Description:** 700-hp, double-inlet, induced draft fan

**Special Considerations:** Thermal regenerative oxidizer is used in the incineration of waste process materials. Fan must withstand temperatures of 1000° F.

Over the last century, companies in virtually every industry have called on Robinson for fan-building expertise. They have challenged us to custom-design and build fans, blowers and exhausters which can endure rigorous operating conditions and harsh environments. Robinson also provides on-site and factory-based fan repair, rebuilding and preventive maintenance. If you have a big project coming up, get us involved — right from the start. Call or write for free literature on our services.



## ROBINSON INDUSTRIES, INC.

Department B / P.O. Box 100  
 Zelienople, PA 16063-0100  
 (412) 452-6121 (24 hours a day)  
 Fax: (412) 452-0388  
 Telex: 866-311

## ROBINSON FANS FLORIDA, INC.

P.O. Box 6260 / Lakeland, FL 33807-6260  
 (813) 646-5270 (24 hours a day)  
 Fax: (813) 646-1712 / Telex: 866-311